
BMicro Documentation

Release 0.4.1

Paul Müller

Aug 19, 2022

CONTENTS:

1	Getting started	3
1.1	Installation	3
1.2	Citing BMicro	3
2	Code reference	5
3	Development	7
3.1	Development workflow	7
3.2	Documentation	7
3.3	Tests	8
3.4	Making a new release	8
3.5	Continuous integration	8
4	Changelog	9
4.1	version ## 0.4.0 - 2022-08-17	11
4.2	version	11
4.3	version ### Added	11
4.4	version - Allow to configure Brillouin export #210	11
4.5	version	11
4.6	version ## 0.3.4 - 2022-08-12	11
4.7	version	11
4.8	version ### Fixed	11
4.9	version - Don't crash if arc is empty #209	11
4.10	version - Fix github actions check pipeline #207	11
4.11	version	11
4.12	version ## 0.3.3 - 2022-07-01	11
4.13	version	11
4.14	version ### Fixed	11
4.15	version - Fix exporting on macOS and linux #206	11
4.16	version	11
4.17	version ## 0.3.2 - 2022-06-30	11
4.18	version	11
4.19	version ### Changed	11
4.20	version - Show BMicro version in about text as well #205	11
4.21	version	11
4.22	version ### Fixed	11
4.23	version - Don't search whole Mac on empty folder name #204	11
4.24	version	11
4.25	version ## 0.3.1 - 2022-06-29	11
4.26	version	11

4.27	version ### Added	11
4.28	version - Add global exception handler #199	11
4.29	version	11
4.30	version ### Changed	11
4.31	version - Remove cron schedule from github actions workflows #202	11
4.32	version	11
4.33	version ### Fixed	11
4.34	version - Don't crash on exporting #197 #201	11
4.35	version	11
4.36	version ## 0.3.0 - 2022-06-29	11
4.37	version	11
4.38	version ### Added	11
4.39	version - Implement batch evaluation #193	11
4.40	version - Add option to export data #189	11
4.41	version - Enable calibrating all calibrations at once #192	11
4.42	version	11
4.43	version ### Changed	11
4.44	version - Bump bmlab to version 0.2.1 #190	11
4.45	version - Show extraction points half transparent #191	11
4.46	version - Code cleanup #194	11
4.47	version	11
4.48	version ### Fixed	11
4.49	version - Fix race condition in case of slow evaluation #184	11
4.50	version - Update preview image on new file load #196	11
4.51	version	11
4.52	version ## 0.2.8 - 2022-05-13	11
4.53	version	11
4.54	version ### Fixed	11
4.55	version - Use correct bmlab version for macOS DMG packages #183	11
4.56	version	11
4.57	version ## 0.2.7 - 2022-05-12	11
4.58	version	11
4.59	version ### Added	11
4.60	version - Properly handle bmlab exceptions #180	11
4.61	version	11
4.62	version ### Fixed	11
4.63	version - Don't crash when switching to multi-peak fit during evaluation #181 #182	11
4.64	version - Fix DMG packages for macOS by locking shapely version #179	11
4.65	version	11
4.66	version ## 0.2.6 - 2022-05-06	11
4.67	version	11
4.68	version ### Added	11
4.69	version - Implement two-peak Brillouin fitting #167 #168	11
4.70	version - Allow to toggle aspect ratio for 2D data #171	11
4.71	version	11
4.72	version ### Fixed	11
4.73	version - Check x-limits before setting to prevent warning #172	11
4.74	version	11
4.75	version ## 0.2.5 - 2022-04-25	11
4.76	version	11
4.77	version ### Added	11
4.78	version - Add calibration options dialog #162	11
4.79	version	11
4.80	version ### Changed	11

4.81	version - Show calibrations in correct temporal order #164	11
4.82	version - Show non-averaged fit for each calibration image #165	11
4.83	version	11
4.84	version ### Fixed	11
4.85	version - Fix small layout glitch in extraction view #161	11
4.86	version	11
4.87	version ## 0.2.4 - 2022-04-12	11
4.88	version	11
4.89	version ### Added	11
4.90	version - Allow to manually set data range #159	11
4.91	version	11
4.92	version ### Changed	11
4.93	version - Make circle-fit half-transparent, show points on top #157	11
4.94	version	11
4.95	version ### Fixed	11
4.96	version - Fix opening broken/empty data sets #156	11
4.97	version - Fix automatic color scale for 2D data #158	11
4.98	version	11
4.99	version ## 0.2.3 - 2022-04-07	11
4.100	version	11
4.101	version ### Fixed	11
4.102	version - Fix showing 2D data #154	11
4.103	version	11
4.104	version ## 0.2.2 - 2022-03-22	11
4.105	version	11
4.106	version ### Changed	11
4.107	version - Code cleanup #145	11
4.108	version	11
4.109	version ### Fixed	11
4.110	version - Bring back multiprocessing support #149	11
4.111	version - Don't open multiple instances on Win when evaluating #147	11
4.112	version - Don't open multiple instances on MacOS with DMG package #140	11
4.113	version	11
4.114	version ## 0.2.1 - 2022-03-21	11
4.115	version	11
4.116	version ### Changed	11
4.117	version - Code cleanup #135 #142	11
4.118	version	11
4.119	version ### Fixed	11
4.120	version - Don't crash when extracted peaks are on a straight line #141	11
4.121	version - Don't crash when trying to evaluate #139	11
4.122	version	11
4.123	version ## 0.2.0 - 2022-03-15	11
4.124	version	11
4.125	version ### Added	11
4.126	version - Implement showing 3D data #128	11
4.127	version - Remember last used folder #132	11
4.128	version	11
4.129	version ### Fixed	11
4.130	version - Fix warning when file could not be opened #129	11
4.131	version - Fix build #131	11
4.132	version	11
4.133	version ## 0.1.6 - 2022-02-18	11
4.134	version	11

4.135 version ### Added	11
4.136 version - Add an about menu #119	11
4.137 version	11
4.138 version ### Changed	11
4.139 version - Update to PyQt6 to support M1 Macs #124	11
4.140 version	11
4.141 version ### Fixed	11
4.142 version - Request minimum required bmlab version #122	11
4.143 version - Pin Shapely to 1.8.0 #120 #121	11
4.144 version	11
4.145 version ## 0.1.5 - 2022-02-16	11
4.146 version	11
4.147 version ### Fixed	11
4.148 version - Adjust release pipeline to properly build and upload release artifacts #118 9347bce74f7bf1fb40ab823967f4be8490af47b9 eb5d7e7d2bcb4cf590e967a01a71d00aefced3b5 . . .	11
4.149 version	11
4.150 version ## 0.1.4 - 2022-02-16	11
4.151 version	11
4.152 version ### Added	11
4.153 version - Add keyboard shortcuts for file actions #117	11
4.154 version - Allow finding peaks in extraction view for all calibrations #111	11
4.155 version - Implement automatic peak finding in calibration view #110	11
4.156 version - Implement automatically finding peaks #99	11
4.157 version - Allow to browse through calibration spectra #89	11
4.158 version - Show selected extraction points in table, allow editing #85	11
4.159 version - Show colorbar with labels in evaluation view #70	11
4.160 version - Automatically load session if it exists #67	11
4.161 version	11
4.162 version ### Changed	11
4.163 version - Add action to exit app #107	11
4.164 version - Deploy with python-3.9 #105	11
4.165 version - Update pyinstaller version #104	11
4.166 version - Require python >= 3.7 #103	11
4.167 version - Add more package requirements #98	11
4.168 version - Suppress mean of empty slice warning #95	11
4.169 version - Suppress useless warning #88	11
4.170 version - Automatically set image shape on orientation change #84	11
4.171 version - Adjust to streamlined bmlab interface #83	11
4.172 version - Adjust to changes in bmlab #82	11
4.173 version - Refactor use of session #81	11
4.174 version - Only check bmlab main branch in workflows #72	11
4.175 version	11
4.176 version ### Fixed	11
4.177 version - Fix rotation labels and make rotations more generic #114	11
4.178 version - Fix matplotlib deprecation warnings #115	11
4.179 version - Fix build on appveyor and for MacOS #116	11
4.180 version - Correctly show evaluation plot after closing a file #102	11
4.181 version - Fix crash when clicking if no file is loaded #101	11
4.182 version - Try to fix slow evaluation plot update #97	11
4.183 version - Recalculate derived values when calibration changes #90	11
4.184 version - Correctly scale the data if the unit is GHz #77	11
4.185 version - Only update necessary tab when switching tabs #76	11
4.186 version - Show measurement of arbitrary dimensionality correctly #74	11
4.187 version - Actually run pytest in checks #73	11

4.188 version	11
4.189 version ## 0.1.3	11
4.190 version	11
4.191 version - setup: use “pytest” command instead of deprecated “setup.py test”	11
4.192 version - ui: add app icon (#9)	11
4.193 version - ui: data tab (#11)	11
4.194 version - build: add Windows and macOS build pipeline (#1)	11
4.195 version	11
4.196 version ## 0.1.2	11
4.197 version	11
4.198 version - CI automation	11
4.199 version	11
4.200 version ## 0.1.1	11
4.201 version	11
4.202 version - Test CI automation	11
4.203 version	11
4.204 version ## 0.1.0	11
4.205 version	11
4.206 version - dummy release	11
5 Bibliography	13
6 Indices and tables	15

This is BMicro, a graphical user interface for Brillouin microscopy data evaluation. This is the documentation of bmlab version 0.4.1.

GETTING STARTED

1.1 Installation

To install BMicro, use one of the following methods:

- **from PyPI:** `pip install bmicro`
- **from sources:** `pip install .`

1.2 Citing BMicro

If you use BMicro in a scientific publication, please cite it with:

BMicro developers (2022), BMicro version X.X.X: Python library for the post-measurement analysis of Brillouin microscopy data sets [Software]. Available at <https://github.com/BrillouinMicroscopy/BMicro>.

CODE REFERENCE

TODO

DEVELOPMENT

This section gives an overview about everything you need to know if you wish to contribute to [bmlab](#) or [BMicro](#).

3.1 Development workflow

We use [GitHub projects](#) to manage the development workflow of [bmlab](#) and [BMicro](#). The main development project board is [Brillouin Evaluation in Python](#).

The development is split into “User Stories”, each of which is a collection of issues (identified via titles in the issues). The current work in progress (WIP) branch is named according to the currently active user story (e.g. *1-smoke-test*). Issues that are not part of the current user story should still be addressed in the current WIP branch.

Once you wish to address an issue, drag it from the “Open” or “Ready” column of the project board to the “In progress” column. Once you finished working on an issue, drag it to the “Done” column, but don’t close it yet (It should be discussed first in the dev meeting).

Notes:

- Please write test functions and keep code coverage above 90%.
- Please make sure to always edit the changelog for [BMicro](#) or [bmlab](#).
- Please try to always pull with rebase

```
git pull --rebase
```

instead of

```
git pull
```

to prevent confusions in the commit history.

3.2 Documentation

It is always helpful to have code examples and thorough descriptions in a documentation. We use [sphinx-autodoc](#) for the [code reference](#), which means that the docstrings of your functions and classes are automatically rendered. Please make sure that this is working properly - go to the docs directory and execute:

```
pip install -r requirements.txt
sphinx-build . _build
```

This will create a file `_build/index.html` which you can open in your favorite browser. This also applies to [bmlab](#).

3.3 Tests

We try to adhere to test-driven development. Please always write test functions for your code. Make sure you have the required packages installed:

```
pip install -r tests/requirements.txt
```

You can run all tests via

```
python -m pytest tests
```

To check for code coverage, make sure the *coverage* Python package is installed and run

```
coverage run --source="bmicro" -m pytest tests
coverage report
```

3.4 Making a new release

The release process of BMicro is completely automated. All you need to know is that you have to create an incremental tag:

```
git tag -a "0.1.3"
# or (if you have set up GPG)
git tag -s "0.1.3"
# and finally
git push --tags
```

For more information on how automatic deployment to PyPI works, please read on.

3.5 Continuous integration

The following things are automated:

- pytest and flake8 on Linux, macOS, and Windows via GitHub Actions: <https://github.com/BrillouinMicroscopy/BMicro/actions?query=workflow%3AChecks>

You should always check that all checks pass before you merge a pull request (A green state on your local machine does not mean a global green state).

- automatic deployment to PyPI on tag creation via GitHub Actions: <https://github.com/BrillouinMicroscopy/BMicro/actions?query=workflow%3A%22Release+to+PyPI%22>

Paul Müller created the BMicro package on PyPI and gave the user `ci_bm` permission to upload new releases. The password for this user is an [organization secret](#).

- documentation is built automatically (for all tags and for the latest commit to the main branch) on readthedocs: <https://readthedocs.org/projects/BMicro/builds/>
- coverage statistics are done with codecov: <https://codecov.io/gh/BrillouinMicroscopy/BMicro>

Please try stay above 90% coverage.

Badges for all of these CI tasks are in the main `README.rst` file.

CHANGELOG

List of changes in-between bmlab releases.

4.1 version ## 0.4.0 - 2022-08-17

4.2 version

4.3 version ### Added

4.4 version - Allow to configure Brillouin export #210

4.5 version

4.6 version ## 0.3.4 - 2022-08-12

4.7 version

4.8 version ### Fixed

4.9 version - Don't crash if arc is empty #209

4.10 version - Fix github actions check pipeline #207

4.11 version

4.12 version ## 0.3.3 - 2022-07-01

4.13 version

4.14 version ### Fixed

4.15 version - Fix exporting on macOS and linux #206

4.16 version

4.17 version ## 0.3.2 - 2022-06-30

4.18 version

4.19 version ### Changed

4.20 version - Show BMicro version in about text as well #205

4.1 version ## 0.4.0 - 2022-08-17

4.21 version

4.22 version ### Fixed

BILBLIOGRAPHY

INDICES AND TABLES

- `genindex`
- `modindex`
- `search`