
BMicro Documentation

Release 0.6.1

Paul Müller

Sep 16, 2022

CONTENTS:

1	Getting started	3
1.1	Installation	3
1.2	Citing BMicro	3
2	Code reference	5
3	Development	7
3.1	Development workflow	7
3.2	Documentation	7
3.3	Tests	8
3.4	Making a new release	8
3.5	Continuous integration	8
4	Changelog	9
4.1	version ## 0.6.1 - 2022-09-16	11
4.2	version	11
4.3	version ### Fixed	11
4.4	version - Fix spectrum view #241	11
4.5	version	11
4.6	version ## 0.6.0 - 2022-09-16	11
4.7	version	11
4.8	version ### Added	11
4.9	version - Implement exporting 3D data https://github.com/BrillouinMicroscopy/bmlab/pull/162	11
4.10	version	11
4.11	version ### Changed	11
4.12	version - Fit Brillouin spectrum on frequency axis https://github.com/BrillouinMicroscopy/bmlab/pull/158	11
4.13	version - Bump bmlab to 0.6.1 #240	11
4.14	version	11
4.15	version ### Fixed	11
4.16	version - Fix setting axis limits for 1D data #238	11
4.17	version - Fix setting caxis in export dialog #235	11
4.18	version - Fix parameter label in csv files https://github.com/BrillouinMicroscopy/bmlab/pull/163	11
4.19	version	11
4.20	version ## 0.5.1 - 2022-09-02	11
4.21	version	11
4.22	version ### Fixed	11
4.23	version - Correctly initialize setup on new file load https://github.com/BrillouinMicroscopy/bmlab/pull/156	11
4.24	version - Show correct setup on file load #232	11
4.25	version	11
4.26	version ## 0.5.0 - 2022-09-02	11

4.27	version	11
4.28	version ### Added	11
4.29	version - Allow to account for calibration temperature #212	11
4.30	version - Allow to show image and spectrum #216 #218 #222 #224	11
4.31	version - Show fits in spectrum view #223 #225 #226	11
4.32	version - Implement multi-peak fit batch evaluation #217 #229	11
4.33	version - Export all peaks from multi-peak fits https://github.com/BrillouinMicroscopy/bmlab/pull/146	11
4.34	version - Write scale bar to Brillouin Tiff file https://github.com/BrillouinMicroscopy/bmlab/pull/154 https://github.com/BrillouinMicroscopy/bmlab/pull/155	11
4.35	version	11
4.36	version ### Changed	11
4.37	version - Allow to minimaximize the batch evaluation window #228	11
4.38	version - Bump bmlab to 0.5.0 #230	11
4.39	version	11
4.40	version ### Fixed	11
4.41	version - Don't disable export button #219	11
4.42	version - Properly handle multi-peak fit bounds in evaluation view #220	11
4.43	version - Don't fail batch evaluation for broken repetitions #221	11
4.44	version - Close current file before opening new file #227	11
4.45	version - Fix exporting fluorescence w/o scale calibration https://github.com/BrillouinMicroscopy/bmlab/pull/145	11
4.46	version	11
4.47	version ## 0.4.0 - 2022-08-17	11
4.48	version	11
4.49	version ### Added	11
4.50	version - Allow to configure Brillouin export #210	11
4.51	version	11
4.52	version ## 0.3.4 - 2022-08-12	11
4.53	version	11
4.54	version ### Fixed	11
4.55	version - Don't crash if arc is empty #209	11
4.56	version - Fix github actions check pipeline #207	11
4.57	version	11
4.58	version ## 0.3.3 - 2022-07-01	11
4.59	version	11
4.60	version ### Fixed	11
4.61	version - Fix exporting on macOS and linux #206	11
4.62	version	11
4.63	version ## 0.3.2 - 2022-06-30	11
4.64	version	11
4.65	version ### Changed	11
4.66	version - Show BMicro version in about text as well #205	11
4.67	version	11
4.68	version ### Fixed	11
4.69	version - Don't search whole Mac on empty folder name #204	11
4.70	version	11
4.71	version ## 0.3.1 - 2022-06-29	11
4.72	version	11
4.73	version ### Added	11
4.74	version - Add global exception handler #199	11
4.75	version	11
4.76	version ### Changed	11
4.77	version - Remove cron schedule from github actions workflows #202	11
4.78	version	11
4.79	version ### Fixed	11

4.80	version - Don't crash on exporting #197 #201	11
4.81	version	11
4.82	version ## 0.3.0 - 2022-06-29	11
4.83	version	11
4.84	version ### Added	11
4.85	version - Implement batch evaluation #193	11
4.86	version - Add option to export data #189	11
4.87	version - Enable calibrating all calibrations at once #192	11
4.88	version	11
4.89	version ### Changed	11
4.90	version - Bump bmlab to version 0.2.1 #190	11
4.91	version - Show extraction points half transparent #191	11
4.92	version - Code cleanup #194	11
4.93	version	11
4.94	version ### Fixed	11
4.95	version - Fix race condition in case of slow evaluation #184	11
4.96	version - Update preview image on new file load #196	11
4.97	version	11
4.98	version ## 0.2.8 - 2022-05-13	11
4.99	version	11
4.100	version ### Fixed	11
4.101	version - Use correct bmlab version for macOS DMG packages #183	11
4.102	version	11
4.103	version ## 0.2.7 - 2022-05-12	11
4.104	version	11
4.105	version ### Added	11
4.106	version - Properly handle bmlab exceptions #180	11
4.107	version	11
4.108	version ### Fixed	11
4.109	version - Don't crash when switching to multi-peak fit during evaluation #181 #182	11
4.110	version - Fix DMG packages for macOS by locking shapely version #179	11
4.111	version	11
4.112	version ## 0.2.6 - 2022-05-06	11
4.113	version	11
4.114	version ### Added	11
4.115	version - Implement two-peak Brillouin fitting #167 #168	11
4.116	version - Allow to toggle aspect ratio for 2D data #171	11
4.117	version	11
4.118	version ### Fixed	11
4.119	version - Check x-limits before setting to prevent warning #172	11
4.120	version	11
4.121	version ## 0.2.5 - 2022-04-25	11
4.122	version	11
4.123	version ### Added	11
4.124	version - Add calibration options dialog #162	11
4.125	version	11
4.126	version ### Changed	11
4.127	version - Show calibrations in correct temporal order #164	11
4.128	version - Show non-averaged fit for each calibration image #165	11
4.129	version	11
4.130	version ### Fixed	11
4.131	version - Fix small layout glitch in extraction view #161	11
4.132	version	11
4.133	version ## 0.2.4 - 2022-04-12	11

4.134 version	11
4.135 version ### Added	11
4.136 version - Allow to manually set data range #159	11
4.137 version	11
4.138 version ### Changed	11
4.139 version - Make circle-fit half-transparent, show points on top #157	11
4.140 version	11
4.141 version ### Fixed	11
4.142 version - Fix opening broken/empty data sets #156	11
4.143 version - Fix automatic color scale for 2D data #158	11
4.144 version	11
4.145 version ## 0.2.3 - 2022-04-07	11
4.146 version	11
4.147 version ### Fixed	11
4.148 version - Fix showing 2D data #154	11
4.149 version	11
4.150 version ## 0.2.2 - 2022-03-22	11
4.151 version	11
4.152 version ### Changed	11
4.153 version - Code cleanup #145	11
4.154 version	11
4.155 version ### Fixed	11
4.156 version - Bring back multiprocessing support #149	11
4.157 version - Don't open multiple instances on Win when evaluating #147	11
4.158 version - Don't open multiple instances on MacOS with DMG package #140	11
4.159 version	11
4.160 version ## 0.2.1 - 2022-03-21	11
4.161 version	11
4.162 version ### Changed	11
4.163 version - Code cleanup #135 #142	11
4.164 version	11
4.165 version ### Fixed	11
4.166 version - Don't crash when extracted peaks are on a straight line #141	11
4.167 version - Don't crash when trying to evaluate #139	11
4.168 version	11
4.169 version ## 0.2.0 - 2022-03-15	11
4.170 version	11
4.171 version ### Added	11
4.172 version - Implement showing 3D data #128	11
4.173 version - Remember last used folder #132	11
4.174 version	11
4.175 version ### Fixed	11
4.176 version - Fix warning when file could not be opened #129	11
4.177 version - Fix build #131	11
4.178 version	11
4.179 version ## 0.1.6 - 2022-02-18	11
4.180 version	11
4.181 version ### Added	11
4.182 version - Add an about menu #119	11
4.183 version	11
4.184 version ### Changed	11
4.185 version - Update to PyQt6 to support M1 Macs #124	11
4.186 version	11
4.187 version ### Fixed	11

4.188 version - Request minimum required bmlab version #122	11
4.189 version - Pin Shapely to 1.8.0 #120 #121	11
4.190 version	11
4.191 version ## 0.1.5 - 2022-02-16	11
4.192 version	11
4.193 version ### Fixed	11
4.194 version - Adjust release pipeline to properly build and upload release artifacts #118 9347bce74f7bf1fb40ab823967f4be8490af47b9 eb5d7e7d2bcb4cf590e967a01a71d00aefced3b5 . . .	11
4.195 version	11
4.196 version ## 0.1.4 - 2022-02-16	11
4.197 version	11
4.198 version ### Added	11
4.199 version - Add keyboard shortcuts for file actions #117	11
4.200 version - Allow finding peaks in extraction view for all calibrations #111	11
4.201 version - Implement automatic peak finding in calibration view #110	11
4.202 version - Implement automatically finding peaks #99	11
4.203 version - Allow to browse through calibration spectra #89	11
4.204 version - Show selected extraction points in table, allow editing #85	11
4.205 version - Show colorbar with labels in evaluation view #70	11
4.206 version - Automatically load session if it exists #67	11
4.207 version	11
4.208 version ### Changed	11
4.209 version - Add action to exit app #107	11
4.210 version - Deploy with python-3.9 #105	11
4.211 version - Update pyinstaller version #104	11
4.212 version - Require python >= 3.7 #103	11
4.213 version - Add more package requirements #98	11
4.214 version - Suppress mean of empty slice warning #95	11
4.215 version - Suppress useless warning #88	11
4.216 version - Automatically set image shape on orientation change #84	11
4.217 version - Adjust to streamlined bmlab interface #83	11
4.218 version - Adjust to changes in bmlab #82	11
4.219 version - Refactor use of session #81	11
4.220 version - Only check bmlab main branch in workflows #72	11
4.221 version	11
4.222 version ### Fixed	11
4.223 version - Fix rotation labels and make rotations more generic #114	11
4.224 version - Fix matplotlib deprecation warnings #115	11
4.225 version - Fix build on appveyor and for MacOS #116	11
4.226 version - Correctly show evaluation plot after closing a file #102	11
4.227 version - Fix crash when clicking if no file is loaded #101	11
4.228 version - Try to fix slow evaluation plot update #97	11
4.229 version - Recalculate derived values when calibration changes #90	11
4.230 version - Correctly scale the data if the unit is GHz #77	11
4.231 version - Only update necessary tab when switching tabs #76	11
4.232 version - Show measurement of arbitrary dimensionality correctly #74	11
4.233 version - Actually run pytest in checks #73	11
4.234 version	11
4.235 version ## 0.1.3	11
4.236 version	11
4.237 version - setup: use “pytest” command instead of deprecated “setup.py test”	11
4.238 version - ui: add app icon (#9)	11
4.239 version - ui: data tab (#11)	11
4.240 version - build: add Windows and macOS build pipeline (#1)	11

4.241 version	11
4.242 version ## 0.1.2	11
4.243 version	11
4.244 version - CI automation	11
4.245 version	11
4.246 version ## 0.1.1	11
4.247 version	11
4.248 version - Test CI automation	11
4.249 version	11
4.250 version ## 0.1.0	11
4.251 version	11
4.252 version - dummy release	11
5 Bibliography	13
6 Indices and tables	15

This is BMicro, a graphical user interface for Brillouin microscopy data evaluation. This is the documentation of bmlab version 0.6.1.

GETTING STARTED

1.1 Installation

To install BMicro, use one of the following methods:

- **from PyPI:** `pip install bmicro`
- **from sources:** `pip install .`

1.2 Citing BMicro

If you use BMicro in a scientific publication, please cite it with:

BMicro developers (2022), BMicro version X.X.X: Python library for the post-measurement analysis of Brillouin microscopy data sets [Software]. Available at <https://github.com/BrillouinMicroscopy/BMicro>.

CODE REFERENCE

TODO

DEVELOPMENT

This section gives an overview about everything you need to know if you wish to contribute to [bmlab](#) or [BMicro](#).

3.1 Development workflow

We use [GitHub projects](#) to manage the development workflow of [bmlab](#) and [BMicro](#). The main development project board is [Brillouin Evaluation in Python](#).

The development is split into “User Stories”, each of which is a collection of issues (identified via titles in the issues). The current work in progress (WIP) branch is named according to the currently active user story (e.g. *1-smoke-test*). Issues that are not part of the current user story should still be addressed in the current WIP branch.

Once you wish to address an issue, drag it from the “Open” or “Ready” column of the project board to the “In progress” column. Once you finished working on an issue, drag it to the “Done” column, but don’t close it yet (It should be discussed first in the dev meeting).

Notes:

- Please write test functions and keep code coverage above 90%.
- Please make sure to always edit the changelog for [BMicro](#) or [bmlab](#).
- Please try to always pull with rebase

```
git pull --rebase
```

instead of

```
git pull
```

to prevent confusions in the commit history.

3.2 Documentation

It is always helpful to have code examples and thorough descriptions in a documentation. We use [sphinx-autodoc](#) for the *code reference*, which means that the docstrings of your functions and classes are automatically rendered. Please make sure that this is working properly - go to the docs directory and execute:

```
pip install -r requirements.txt  
sphinx-build . _build
```

This will create a file `_build/index.html` which you can open in your favorite browser. This also applies to [bmlab](#).

3.3 Tests

We try to adhere to test-driven development. Please always write test functions for your code. Make sure you have the required packages installed:

```
pip install -r tests/requirements.txt
```

You can run all tests via

```
python -m pytest tests
```

To check for code coverage, make sure the *coverage* Python package is installed and run

```
coverage run --source="bmicro" -m pytest tests
coverage report
```

3.4 Making a new release

The release process of BMicro is completely automated. All you need to know is that you have to create an incremental tag:

```
git tag -a "0.1.3"
# or (if you have set up GPG)
git tag -s "0.1.3"
# and finally
git push --tags
```

For more information on how automatic deployment to PyPI works, please read on.

3.5 Continuous integration

The following things are automated:

- pytest and flake8 on Linux, macOS, and Windows via GitHub Actions: <https://github.com/BrillouinMicroscopy/BMicro/actions?query=workflow%3AChecks>

You should always check that all checks pass before you merge a pull request (A green state on your local machine does not mean a global green state).

- automatic deployment to PyPI on tag creation via GitHub Actions: <https://github.com/BrillouinMicroscopy/BMicro/actions?query=workflow%3A%22Release+to+PyPI%22>

Paul Müller created the **BMicro** package on PyPI and gave the user `ci_bm` permission to upload new releases. The password for this user is an [organization secret](#).

- documentation is built automatically (for all tags and for the latest commit to the main branch) on readthedocs: <https://readthedocs.org/projects/BMicro/builds/>
- coverage statistics are done with codecov: <https://codecov.io/gh/BrillouinMicroscopy/BMicro>

Please try stay above 90% coverage.

Badges for all of these CI tasks are in the main `README.rst` file.

CHANGELOG

List of changes in-between bmlab releases.

4.1 version ## 0.6.1 - 2022-09-16

4.2 version

4.3 version ### Fixed

4.4 version - Fix spectrum view #241

4.5 version

4.6 version ## 0.6.0 - 2022-09-16

4.7 version

4.8 version ### Added

4.9 version - Implement exporting 3D data <https://github.com/BrillouinMicroscopy>

4.10 version

4.11 version ### Changed

**4.12 version - Fit Brillouin spectrum on frequency axis
<https://github.com/BrillouinMicroscopy/bmlab/pull/158>**

4.13 version - Bump bmlab to 0.6.1 #240

4.14 version

4.15 version ### Fixed

4.16 version - Fix setting axis limits for 1D data #238

4.17 version - Fix setting caxis in export dialog #235

**4.18 version - Fix parameter label in csv files
<https://github.com/BrillouinMicroscopy/bmlab/pull/163>**

4.19 version

4.1. version ## 0.6.1 - 2022-09-16
4.20 version ## 0.5.1 - 2022-09-02

4.21 version

BIBLIOGRAPHY

INDICES AND TABLES

- `genindex`
- `modindex`
- `search`