
BMicro Documentation

Release 0.6.2

Paul Müller

Sep 27, 2022

CONTENTS:

1	Getting started	3
1.1	Installation	3
1.2	Citing BMicro	3
2	Code reference	5
3	Development	7
3.1	Development workflow	7
3.2	Documentation	7
3.3	Tests	8
3.4	Making a new release	8
3.5	Continuous integration	8
4	Changelog	9
4.1	version ## 0.6.2 - 2022-09-27	11
4.2	version	11
4.3	version ### Added	11
4.4	version - Add console logging for dev packages #242	11
4.5	version	11
4.6	version ### Fixed	11
4.7	version - Show multi-peak fit in spectrum preview as one #245	11
4.8	version - Fix 3D plotting with matplotlib 3.6 #246	11
4.9	version	11
4.10	version ## 0.6.1 - 2022-09-16	11
4.11	version	11
4.12	version ### Fixed	11
4.13	version - Fix spectrum view #241	11
4.14	version	11
4.15	version ## 0.6.0 - 2022-09-16	11
4.16	version	11
4.17	version ### Added	11
4.18	version - Implement exporting 3D data https://github.com/BrillouinMicroscopy/bmlab/pull/162	11
4.19	version	11
4.20	version ### Changed	11
4.21	version - Fit Brillouin spectrum on frequency axis https://github.com/BrillouinMicroscopy/bmlab/pull/158	11
4.22	version - Bump bmlab to 0.6.1 #240	11
4.23	version	11
4.24	version ### Fixed	11
4.25	version - Fix setting axis limits for 1D data #238	11
4.26	version - Fix setting caxis in export dialog #235	11

4.27	version - Fix parameter label in csv files https://github.com/BrillouinMicroscopy/bmlab/pull/163 . . .	11
4.28	version	11
4.29	version ## 0.5.1 - 2022-09-02	11
4.30	version	11
4.31	version ### Fixed	11
4.32	version - Correctly initialize setup on new file load https://github.com/BrillouinMicroscopy/bmlab/pull/156	11
4.33	version - Show correct setup on file load #232	11
4.34	version	11
4.35	version ## 0.5.0 - 2022-09-02	11
4.36	version	11
4.37	version ### Added	11
4.38	version - Allow to account for calibration temperature #212	11
4.39	version - Allow to show image and spectrum #216 #218 #222 #224	11
4.40	version - Show fits in spectrum view #223 #225 #226	11
4.41	version - Implement multi-peak fit batch evaluation #217 #229	11
4.42	version - Export all peaks from multi-peak fits https://github.com/BrillouinMicroscopy/bmlab/pull/146	11
4.43	version - Write scale bar to Brillouin Tiff file https://github.com/BrillouinMicroscopy/bmlab/pull/154 https://github.com/BrillouinMicroscopy/bmlab/pull/155	11
4.44	version	11
4.45	version ### Changed	11
4.46	version - Allow to minimaximize the batch evaluation window #228	11
4.47	version - Bump bmlab to 0.5.0 #230	11
4.48	version	11
4.49	version ### Fixed	11
4.50	version - Don't disable export button #219	11
4.51	version - Properly handle multi-peak fit bounds in evaluation view #220	11
4.52	version - Don't fail batch evaluation for broken repetitions #221	11
4.53	version - Close current file before opening new file #227	11
4.54	version - Fix exporting fluorescence w/o scale calibration https://github.com/BrillouinMicroscopy/bmlab/pull/145	11
4.55	version	11
4.56	version ## 0.4.0 - 2022-08-17	11
4.57	version	11
4.58	version ### Added	11
4.59	version - Allow to configure Brillouin export #210	11
4.60	version	11
4.61	version ## 0.3.4 - 2022-08-12	11
4.62	version	11
4.63	version ### Fixed	11
4.64	version - Don't crash if arc is empty #209	11
4.65	version - Fix github actions check pipeline #207	11
4.66	version	11
4.67	version ## 0.3.3 - 2022-07-01	11
4.68	version	11
4.69	version ### Fixed	11
4.70	version - Fix exporting on macOS and linux #206	11
4.71	version	11
4.72	version ## 0.3.2 - 2022-06-30	11
4.73	version	11
4.74	version ### Changed	11
4.75	version - Show BMicro version in about text as well #205	11
4.76	version	11
4.77	version ### Fixed	11
4.78	version - Don't search whole Mac on empty folder name #204	11
4.79	version	11

4.80	version ## 0.3.1 - 2022-06-29	11
4.81	version	11
4.82	version ### Added	11
4.83	version - Add global exception handler #199	11
4.84	version	11
4.85	version ### Changed	11
4.86	version - Remove cron schedule from github actions workflows #202	11
4.87	version	11
4.88	version ### Fixed	11
4.89	version - Don't crash on exporting #197 #201	11
4.90	version	11
4.91	version ## 0.3.0 - 2022-06-29	11
4.92	version	11
4.93	version ### Added	11
4.94	version - Implement batch evaluation #193	11
4.95	version - Add option to export data #189	11
4.96	version - Enable calibrating all calibrations at once #192	11
4.97	version	11
4.98	version ### Changed	11
4.99	version - Bump bmlab to version 0.2.1 #190	11
4.100	version - Show extraction points half transparent #191	11
4.101	version - Code cleanup #194	11
4.102	version	11
4.103	version ### Fixed	11
4.104	version - Fix race condition in case of slow evaluation #184	11
4.105	version - Update preview image on new file load #196	11
4.106	version	11
4.107	version ## 0.2.8 - 2022-05-13	11
4.108	version	11
4.109	version ### Fixed	11
4.110	version - Use correct bmlab version for macOS DMG packages #183	11
4.111	version	11
4.112	version ## 0.2.7 - 2022-05-12	11
4.113	version	11
4.114	version ### Added	11
4.115	version - Properly handle bmlab exceptions #180	11
4.116	version	11
4.117	version ### Fixed	11
4.118	version - Don't crash when switching to multi-peak fit during evaluation #181 #182	11
4.119	version - Fix DMG packages for macOS by locking shapely version #179	11
4.120	version	11
4.121	version ## 0.2.6 - 2022-05-06	11
4.122	version	11
4.123	version ### Added	11
4.124	version - Implement two-peak Brillouin fitting #167 #168	11
4.125	version - Allow to toggle aspect ratio for 2D data #171	11
4.126	version	11
4.127	version ### Fixed	11
4.128	version - Check x-limits before setting to prevent warning #172	11
4.129	version	11
4.130	version ## 0.2.5 - 2022-04-25	11
4.131	version	11
4.132	version ### Added	11
4.133	version - Add calibration options dialog #162	11

4.134 version	11
4.135 version ### Changed	11
4.136 version - Show calibrations in correct temporal order #164	11
4.137 version - Show non-averaged fit for each calibration image #165	11
4.138 version	11
4.139 version ### Fixed	11
4.140 version - Fix small layout glitch in extraction view #161	11
4.141 version	11
4.142 version ## 0.2.4 - 2022-04-12	11
4.143 version	11
4.144 version ### Added	11
4.145 version - Allow to manually set data range #159	11
4.146 version	11
4.147 version ### Changed	11
4.148 version - Make circle-fit half-transparent, show points on top #157	11
4.149 version	11
4.150 version ### Fixed	11
4.151 version - Fix opening broken/empty data sets #156	11
4.152 version - Fix automatic color scale for 2D data #158	11
4.153 version	11
4.154 version ## 0.2.3 - 2022-04-07	11
4.155 version	11
4.156 version ### Fixed	11
4.157 version - Fix showing 2D data #154	11
4.158 version	11
4.159 version ## 0.2.2 - 2022-03-22	11
4.160 version	11
4.161 version ### Changed	11
4.162 version - Code cleanup #145	11
4.163 version	11
4.164 version ### Fixed	11
4.165 version - Bring back multiprocessing support #149	11
4.166 version - Don't open multiple instances on Win when evaluating #147	11
4.167 version - Don't open multiple instances on MacOS with DMG package #140	11
4.168 version	11
4.169 version ## 0.2.1 - 2022-03-21	11
4.170 version	11
4.171 version ### Changed	11
4.172 version - Code cleanup #135 #142	11
4.173 version	11
4.174 version ### Fixed	11
4.175 version - Don't crash when extracted peaks are on a straight line #141	11
4.176 version - Don't crash when trying to evaluate #139	11
4.177 version	11
4.178 version ## 0.2.0 - 2022-03-15	11
4.179 version	11
4.180 version ### Added	11
4.181 version - Implement showing 3D data #128	11
4.182 version - Remember last used folder #132	11
4.183 version	11
4.184 version ### Fixed	11
4.185 version - Fix warning when file could not be opened #129	11
4.186 version - Fix build #131	11
4.187 version	11

4.188	version ## 0.1.6 - 2022-02-18	11
4.189	version	11
4.190	version ### Added	11
4.191	version - Add an about menu #119	11
4.192	version	11
4.193	version ### Changed	11
4.194	version - Update to PyQt6 to support M1 Macs #124	11
4.195	version	11
4.196	version ### Fixed	11
4.197	version - Request minimum required bmlab version #122	11
4.198	version - Pin Shapely to 1.8.0 #120 #121	11
4.199	version	11
4.200	version ## 0.1.5 - 2022-02-16	11
4.201	version	11
4.202	version ### Fixed	11
4.203	version - Adjust release pipeline to properly build and upload release artifacts #118 9347bce74f7bf1fb40ab823967f4be8490af47b9 eb5d7e7d2bcb4cf590e967a01a71d00aefced3b5	11
4.204	version	11
4.205	version ## 0.1.4 - 2022-02-16	11
4.206	version	11
4.207	version ### Added	11
4.208	version - Add keyboard shortcuts for file actions #117	11
4.209	version - Allow finding peaks in extraction view for all calibrations #111	11
4.210	version - Implement automatic peak finding in calibration view #110	11
4.211	version - Implement automatically finding peaks #99	11
4.212	version - Allow to browse through calibration spectra #89	11
4.213	version - Show selected extraction points in table, allow editing #85	11
4.214	version - Show colorbar with labels in evaluation view #70	11
4.215	version - Automatically load session if it exists #67	11
4.216	version	11
4.217	version ### Changed	11
4.218	version - Add action to exit app #107	11
4.219	version - Deploy with python-3.9 #105	11
4.220	version - Update pyinstaller version #104	11
4.221	version - Require python >= 3.7 #103	11
4.222	version - Add more package requirements #98	11
4.223	version - Suppress mean of empty slice warning #95	11
4.224	version - Suppress useless warning #88	11
4.225	version - Automatically set image shape on orientation change #84	11
4.226	version - Adjust to streamlined bmlab interface #83	11
4.227	version - Adjust to changes in bmlab #82	11
4.228	version - Refactor use of session #81	11
4.229	version - Only check bmlab main branch in workflows #72	11
4.230	version	11
4.231	version ### Fixed	11
4.232	version - Fix rotation labels and make rotations more generic #114	11
4.233	version - Fix matplotlib deprecation warnings #115	11
4.234	version - Fix build on appveyor and for MacOS #116	11
4.235	version - Correctly show evaluation plot after closing a file #102	11
4.236	version - Fix crash when clicking if no file is loaded #101	11
4.237	version - Try to fix slow evaluation plot update #97	11
4.238	version - Recalculate derived values when calibration changes #90	11
4.239	version - Correctly scale the data if the unit is GHz #77	11
4.240	version - Only update necessary tab when switching tabs #76	11

4.241 version - Show measurement of arbitrary dimensionality correctly #74	11
4.242 version - Actually run pytest in checks #73	11
4.243 version	11
4.244 version ## 0.1.3	11
4.245 version	11
4.246 version - setup: use “pytest” command instead of deprecated “setup.py test”	11
4.247 version - ui: add app icon (#9)	11
4.248 version - ui: data tab (#11)	11
4.249 version - build: add Windows and macOS build pipeline (#1)	11
4.250 version	11
4.251 version ## 0.1.2	11
4.252 version	11
4.253 version - CI automation	11
4.254 version	11
4.255 version ## 0.1.1	11
4.256 version	11
4.257 version - Test CI automation	11
4.258 version	11
4.259 version ## 0.1.0	11
4.260 version	11
4.261 version - dummy release	11
5 Bibliography	13
6 Indices and tables	15

This is BMicro, a graphical user interface for Brillouin microscopy data evaluation. This is the documentation of bmlab version 0.6.2.

GETTING STARTED

1.1 Installation

To install BMicro, use one of the following methods:

- **from PyPI:** `pip install bmicro`
- **from sources:** `pip install .`

1.2 Citing BMicro

If you use BMicro in a scientific publication, please cite it with:

BMicro developers (2022), BMicro version X.X.X: Python library for the post-measurement analysis of Brillouin microscopy data sets [Software]. Available at <https://github.com/BrillouinMicroscopy/BMicro>.

CODE REFERENCE

TODO

DEVELOPMENT

This section gives an overview about everything you need to know if you wish to contribute to [bmlab](#) or [BMicro](#).

3.1 Development workflow

We use [GitHub projects](#) to manage the development workflow of [bmlab](#) and [BMicro](#). The main development project board is [Brillouin Evaluation in Python](#).

The development is split into “User Stories”, each of which is a collection of issues (identified via titles in the issues). The current work in progress (WIP) branch is named according to the currently active user story (e.g. *1-smoke-test*). Issues that are not part of the current user story should still be addressed in the current WIP branch.

Once you wish to address an issue, drag it from the “Open” or “Ready” column of the project board to the “In progress” column. Once you finished working on an issue, drag it to the “Done” column, but don’t close it yet (It should be discussed first in the dev meeting).

Notes:

- Please write test functions and keep code coverage above 90%.
- Please make sure to always edit the changelog for [BMicro](#) or [bmlab](#).
- Please try to always pull with rebase

```
git pull --rebase
```

instead of

```
git pull
```

to prevent confusions in the commit history.

3.2 Documentation

It is always helpful to have code examples and thorough descriptions in a documentation. We use [sphinx-autodoc](#) for the [code reference](#), which means that the docstrings of your functions and classes are automatically rendered. Please make sure that this is working properly - go to the docs directory and execute:

```
pip install -r requirements.txt
sphinx-build . _build
```

This will create a file `_build/index.html` which you can open in your favorite browser. This also applies to [bmlab](#).

3.3 Tests

We try to adhere to test-driven development. Please always write test functions for your code. Make sure you have the required packages installed:

```
pip install -r tests/requirements.txt
```

You can run all tests via

```
python -m pytest tests
```

To check for code coverage, make sure the *coverage* Python package is installed and run

```
coverage run --source="bmicro" -m pytest tests
coverage report
```

3.4 Making a new release

The release process of BMicro is completely automated. All you need to know is that you have to create an incremental tag:

```
git tag -a "0.1.3"
# or (if you have set up GPG)
git tag -s "0.1.3"
# and finally
git push --tags
```

For more information on how automatic deployment to PyPI works, please read on.

3.5 Continuous integration

The following things are automated:

- pytest and flake8 on Linux, macOS, and Windows via GitHub Actions: <https://github.com/BrillouinMicroscopy/BMicro/actions?query=workflow%3AChecks>

You should always check that all checks pass before you merge a pull request (A green state on your local machine does not mean a global green state).

- automatic deployment to PyPI on tag creation via GitHub Actions: <https://github.com/BrillouinMicroscopy/BMicro/actions?query=workflow%3A%22Release+to+PyPI%22>

Paul Müller created the BMicro package on PyPI and gave the user `ci_bm` permission to upload new releases. The password for this user is an [organization secret](#).

- documentation is built automatically (for all tags and for the latest commit to the main branch) on readthedocs: <https://readthedocs.org/projects/BMicro/builds/>
- coverage statistics are done with codecov: <https://codecov.io/gh/BrillouinMicroscopy/BMicro>

Please try stay above 90% coverage.

Badges for all of these CI tasks are in the main `README.rst` file.

CHANGELOG

List of changes in-between bmlab releases.

4.1 version ## 0.6.2 - 2022-09-27

4.2 version

4.3 version ### Added

4.4 version - Add console logging for dev packages #242

4.5 version

4.6 version ### Fixed

4.7 version - Show multi-peak fit in spectrum preview as one #245

4.8 version - Fix 3D plotting with matplotlib 3.6 #246

4.9 version

4.10 version ## 0.6.1 - 2022-09-16

4.11 version

4.12 version ### Fixed

4.13 version - Fix spectrum view #241

4.14 version

4.15 version ## 0.6.0 - 2022-09-16

4.16 version

4.17 version ### Added

4.18 version - Implement exporting 3D data
<https://github.com/BrillouinMicroscopy/bmlab/pull/162>

4.19 version

4.20 version ### Changed

4.1. version ## 0.6.2 - 2022-09-27

4.21 version - Fit Brillouin spectrum on frequency axis
<https://github.com/BrillouinMicroscopy/bmlab/pull/158>

BILBLIOGRAPHY

INDICES AND TABLES

- `genindex`
- `modindex`
- `search`