
BMicro Documentation

Release 0.8.1.post2

Paul Müller

Apr 17, 2023

CONTENTS:

1	Getting started	3
1.1	Installation	3
1.2	Citing BMicro	3
2	Code reference	5
3	Development	7
3.1	Development workflow	7
3.2	Documentation	7
3.3	Tests	8
3.4	Making a new release	8
3.5	Continuous integration	8
4	Changelog	9
4.1	version ## 0.8.1 - 2023-02-07	11
4.2	version	11
4.3	version ### Fixed	11
4.4	version - Don't reset calibration frequencies on dialog open #256	11
4.5	version	11
4.6	version ## 0.8.0 - 2022-11-22	11
4.7	version	11
4.8	version ### Added	11
4.9	version - Implement GUI to restrict peak width #251	11
4.10	version - Make options available in batch calibration #252	11
4.11	version	11
4.12	version ### Changed	11
4.13	version - Update to Qt version 6.3.2 #249	11
4.14	version	11
4.15	version ## 0.7.0 - 2022-09-28	11
4.16	version	11
4.17	version ### Added	11
4.18	version - Implement 4-peak fitting #244 https://github.com/BrillouinMicroscopy/bmlab/pull/167	11
4.19	version - Enable spectrum preview for 1D data #247	11
4.20	version	11
4.21	version ## 0.6.2 - 2022-09-27	11
4.22	version	11
4.23	version ### Added	11
4.24	version - Add console logging for dev packages #242	11
4.25	version	11
4.26	version ### Fixed	11

4.27	version - Show multi-peak fit in spectrum preview as one #245	11
4.28	version - Fix 3D plotting with matplotlib 3.6 #246	11
4.29	version	11
4.30	version ## 0.6.1 - 2022-09-16	11
4.31	version	11
4.32	version ### Fixed	11
4.33	version - Fix spectrum view #241	11
4.34	version	11
4.35	version ## 0.6.0 - 2022-09-16	11
4.36	version	11
4.37	version ### Added	11
4.38	version - Implement exporting 3D data https://github.com/BrillouinMicroscopy/bmlab/pull/162	11
4.39	version	11
4.40	version ### Changed	11
4.41	version - Fit Brillouin spectrum on frequency axis https://github.com/BrillouinMicroscopy/bmlab/pull/158	11
4.42	version - Bump bmlab to 0.6.1 #240	11
4.43	version	11
4.44	version ### Fixed	11
4.45	version - Fix setting axis limits for 1D data #238	11
4.46	version - Fix setting caxis in export dialog #235	11
4.47	version - Fix parameter label in csv files https://github.com/BrillouinMicroscopy/bmlab/pull/163	11
4.48	version	11
4.49	version ## 0.5.1 - 2022-09-02	11
4.50	version	11
4.51	version ### Fixed	11
4.52	version - Correctly initialize setup on new file load https://github.com/BrillouinMicroscopy/bmlab/pull/156	11
4.53	version - Show correct setup on file load #232	11
4.54	version	11
4.55	version ## 0.5.0 - 2022-09-02	11
4.56	version	11
4.57	version ### Added	11
4.58	version - Allow to account for calibration temperature #212	11
4.59	version - Allow to show image and spectrum #216 #218 #222 #224	11
4.60	version - Show fits in spectrum view #223 #225 #226	11
4.61	version - Implement multi-peak fit batch evaluation #217 #229	11
4.62	version - Export all peaks from multi-peak fits https://github.com/BrillouinMicroscopy/bmlab/pull/146	11
4.63	version - Write scale bar to Brillouin Tiff file https://github.com/BrillouinMicroscopy/bmlab/pull/154 https://github.com/BrillouinMicroscopy/bmlab/pull/155	11
4.64	version	11
4.65	version ### Changed	11
4.66	version - Allow to minimize the batch evaluation window #228	11
4.67	version - Bump bmlab to 0.5.0 #230	11
4.68	version	11
4.69	version ### Fixed	11
4.70	version - Don't disable export button #219	11
4.71	version - Properly handle multi-peak fit bounds in evaluation view #220	11
4.72	version - Don't fail batch evaluation for broken repetitions #221	11
4.73	version - Close current file before opening new file #227	11
4.74	version - Fix exporting fluorescence w/o scale calibration https://github.com/BrillouinMicroscopy/bmlab/pull/145	11
4.75	version	11
4.76	version ## 0.4.0 - 2022-08-17	11
4.77	version	11
4.78	version ### Added	11
4.79	version - Allow to configure Brillouin export #210	11

4.80	version	11
4.81	version ## 0.3.4 - 2022-08-12	11
4.82	version	11
4.83	version ### Fixed	11
4.84	version - Don't crash if arc is empty #209	11
4.85	version - Fix github actions check pipeline #207	11
4.86	version	11
4.87	version ## 0.3.3 - 2022-07-01	11
4.88	version	11
4.89	version ### Fixed	11
4.90	version - Fix exporting on macOS and linux #206	11
4.91	version	11
4.92	version ## 0.3.2 - 2022-06-30	11
4.93	version	11
4.94	version ### Changed	11
4.95	version - Show BMicro version in about text as well #205	11
4.96	version	11
4.97	version ### Fixed	11
4.98	version - Don't search whole Mac on empty folder name #204	11
4.99	version	11
4.100	version ## 0.3.1 - 2022-06-29	11
4.101	version	11
4.102	version ### Added	11
4.103	version - Add global exception handler #199	11
4.104	version	11
4.105	version ### Changed	11
4.106	version - Remove cron schedule from github actions workflows #202	11
4.107	version	11
4.108	version ### Fixed	11
4.109	version - Don't crash on exporting #197 #201	11
4.110	version	11
4.111	version ## 0.3.0 - 2022-06-29	11
4.112	version	11
4.113	version ### Added	11
4.114	version - Implement batch evaluation #193	11
4.115	version - Add option to export data #189	11
4.116	version - Enable calibrating all calibrations at once #192	11
4.117	version	11
4.118	version ### Changed	11
4.119	version - Bump bmlab to version 0.2.1 #190	11
4.120	version - Show extraction points half transparent #191	11
4.121	version - Code cleanup #194	11
4.122	version	11
4.123	version ### Fixed	11
4.124	version - Fix race condition in case of slow evaluation #184	11
4.125	version - Update preview image on new file load #196	11
4.126	version	11
4.127	version ## 0.2.8 - 2022-05-13	11
4.128	version	11
4.129	version ### Fixed	11
4.130	version - Use correct bmlab version for macOS DMG packages #183	11
4.131	version	11
4.132	version ## 0.2.7 - 2022-05-12	11
4.133	version	11

4.134 version ### Added	11
4.135 version - Properly handle bmlab exceptions #180	11
4.136 version	11
4.137 version ### Fixed	11
4.138 version - Don't crash when switching to multi-peak fit during evaluation #181 #182	11
4.139 version - Fix DMG packages for macOS by locking shapely version #179	11
4.140 version	11
4.141 version ## 0.2.6 - 2022-05-06	11
4.142 version	11
4.143 version ### Added	11
4.144 version - Implement two-peak Brillouin fitting #167 #168	11
4.145 version - Allow to toggle aspect ratio for 2D data #171	11
4.146 version	11
4.147 version ### Fixed	11
4.148 version - Check x-limits before setting to prevent warning #172	11
4.149 version	11
4.150 version ## 0.2.5 - 2022-04-25	11
4.151 version	11
4.152 version ### Added	11
4.153 version - Add calibration options dialog #162	11
4.154 version	11
4.155 version ### Changed	11
4.156 version - Show calibrations in correct temporal order #164	11
4.157 version - Show non-averaged fit for each calibration image #165	11
4.158 version	11
4.159 version ### Fixed	11
4.160 version - Fix small layout glitch in extraction view #161	11
4.161 version	11
4.162 version ## 0.2.4 - 2022-04-12	11
4.163 version	11
4.164 version ### Added	11
4.165 version - Allow to manually set data range #159	11
4.166 version	11
4.167 version ### Changed	11
4.168 version - Make circle-fit half-transparent, show points on top #157	11
4.169 version	11
4.170 version ### Fixed	11
4.171 version - Fix opening broken/empty data sets #156	11
4.172 version - Fix automatic color scale for 2D data #158	11
4.173 version	11
4.174 version ## 0.2.3 - 2022-04-07	11
4.175 version	11
4.176 version ### Fixed	11
4.177 version - Fix showing 2D data #154	11
4.178 version	11
4.179 version ## 0.2.2 - 2022-03-22	11
4.180 version	11
4.181 version ### Changed	11
4.182 version - Code cleanup #145	11
4.183 version	11
4.184 version ### Fixed	11
4.185 version - Bring back multiprocessing support #149	11
4.186 version - Don't open multiple instances on Win when evaluating #147	11
4.187 version - Don't open multiple instances on MacOS with DMG package #140	11

4.188	version	11
4.189	version ## 0.2.1 - 2022-03-21	11
4.190	version	11
4.191	version ### Changed	11
4.192	version - Code cleanup #135 #142	11
4.193	version	11
4.194	version ### Fixed	11
4.195	version - Don't crash when extracted peaks are on a straight line #141	11
4.196	version - Don't crash when trying to evaluate #139	11
4.197	version	11
4.198	version ## 0.2.0 - 2022-03-15	11
4.199	version	11
4.200	version ### Added	11
4.201	version - Implement showing 3D data #128	11
4.202	version - Remember last used folder #132	11
4.203	version	11
4.204	version ### Fixed	11
4.205	version - Fix warning when file could not be opened #129	11
4.206	version - Fix build #131	11
4.207	version	11
4.208	version ## 0.1.6 - 2022-02-18	11
4.209	version	11
4.210	version ### Added	11
4.211	version - Add an about menu #119	11
4.212	version	11
4.213	version ### Changed	11
4.214	version - Update to PyQt6 to support M1 Macs #124	11
4.215	version	11
4.216	version ### Fixed	11
4.217	version - Request minimum required bmlab version #122	11
4.218	version - Pin Shapely to 1.8.0 #120 #121	11
4.219	version	11
4.220	version ## 0.1.5 - 2022-02-16	11
4.221	version	11
4.222	version ### Fixed	11
4.223	version - Adjust release pipeline to properly build and upload release artifacts #118 9347bce74f7bf1fb40ab823967f4be8490af47b9 eb5d7e7d2bcb4cf590e967a01a71d00aefcd3b5	11
4.224	version	11
4.225	version ## 0.1.4 - 2022-02-16	11
4.226	version	11
4.227	version ### Added	11
4.228	version - Add keyboard shortcuts for file actions #117	11
4.229	version - Allow finding peaks in extraction view for all calibrations #111	11
4.230	version - Implement automatic peak finding in calibration view #110	11
4.231	version - Implement automatically finding peaks #99	11
4.232	version - Allow to browse through calibration spectra #89	11
4.233	version - Show selected extraction points in table, allow editing #85	11
4.234	version - Show colorbar with labels in evaluation view #70	11
4.235	version - Automatically load session if it exists #67	11
4.236	version	11
4.237	version ### Changed	11
4.238	version - Add action to exit app #107	11
4.239	version - Deploy with python-3.9 #105	11
4.240	version - Update pyinstaller version #104	11

4.241	version - Require python ≥ 3.7 #103	11
4.242	version - Add more package requirements #98	11
4.243	version - Suppress mean of empty slice warning #95	11
4.244	version - Suppress useless warning #88	11
4.245	version - Automatically set image shape on orientation change #84	11
4.246	version - Adjust to streamlined bmlab interface #83	11
4.247	version - Adjust to changes in bmlab #82	11
4.248	version - Refactor use of session #81	11
4.249	version - Only check bmlab main branch in workflows #72	11
4.250	version	11
4.251	version ### Fixed	11
4.252	version - Fix rotation labels and make rotations more generic #114	11
4.253	version - Fix matplotlib deprecation warnings #115	11
4.254	version - Fix build on appveyor and for MacOS #116	11
4.255	version - Correctly show evaluation plot after closing a file #102	11
4.256	version - Fix crash when clicking if no file is loaded #101	11
4.257	version - Try to fix slow evaluation plot update #97	11
4.258	version - Recalculate derived values when calibration changes #90	11
4.259	version - Correctly scale the data if the unit is GHz #77	11
4.260	version - Only update necessary tab when switching tabs #76	11
4.261	version - Show measurement of arbitrary dimensionality correctly #74	11
4.262	version - Actually run pytest in checks #73	11
4.263	version	11
4.264	version ## 0.1.3	11
4.265	version	11
4.266	version - setup: use “pytest” command instead of deprecated “setup.py test”	11
4.267	version - ui: add app icon (#9)	11
4.268	version - ui: data tab (#11)	11
4.269	version - build: add Windows and macOS build pipeline (#1)	11
4.270	version	11
4.271	version ## 0.1.2	11
4.272	version	11
4.273	version - CI automation	11
4.274	version	11
4.275	version ## 0.1.1	11
4.276	version	11
4.277	version - Test CI automation	11
4.278	version	11
4.279	version ## 0.1.0	11
4.280	version	11
4.281	version - dummy release	11
5	Bibliography	13
6	Indices and tables	15

This is BMicro, a graphical user interface for Brillouin microscopy data evaluation. This is the documentation of bmlab version 0.8.1.post2.

GETTING STARTED

1.1 Installation

To install BMicro, use one of the following methods:

- **from PyPI:** `pip install bmicro`
- **from sources:** `pip install .`

1.2 Citing BMicro

If you use BMicro in a scientific publication, please cite it with:

BMicro developers (2022), BMicro version X.X.X: Python library for the post-measurement analysis of Brillouin microscopy data sets [Software]. Available at <https://github.com/BrillouinMicroscopy/BMicro>.

CODE REFERENCE

TODO

DEVELOPMENT

This section gives an overview about everything you need to know if you wish to contribute to [bmlab](#) or [BMicro](#).

3.1 Development workflow

We use [GitHub projects](#) to manage the development workflow of [bmlab](#) and [BMicro](#). The main development project board is [Brillouin Evaluation in Python](#).

The development is split into “User Stories”, each of which is a collection of issues (identified via titles in the issues). The current work in progress (WIP) branch is named according to the currently active user story (e.g. *1-smoke-test*). Issues that are not part of the current user story should still be addressed in the current WIP branch.

Once you wish to address an issue, drag it from the “Open” or “Ready” column of the project board to the “In progress” column. Once you finished working on an issue, drag it to the “Done” column, but don’t close it yet (It should be discussed first in the dev meeting).

Notes:

- Please write test functions and keep code coverage above 90%.
- Please make sure to always edit the changelog for [BMicro](#) or [bmlab](#).
- Please try to always pull with rebase

```
git pull --rebase
```

instead of

```
git pull
```

to prevent confusions in the commit history.

3.2 Documentation

It is always helpful to have code examples and thorough descriptions in a documentation. We use [sphinx-autodoc](#) for the [code reference](#), which means that the docstrings of your functions and classes are automatically rendered. Please make sure that this is working properly - go to the docs directory and execute:

```
pip install -r requirements.txt
sphinx-build . _build
```

This will create a file `_build/index.html` which you can open in your favorite browser. This also applies to [bmlab](#).

3.3 Tests

We try to adhere to test-driven development. Please always write test functions for your code. Make sure you have the required packages installed:

```
pip install -r tests/requirements.txt
```

You can run all tests via

```
python -m pytest tests
```

To check for code coverage, make sure the *coverage* Python package is installed and run

```
coverage run --source="bmicro" -m pytest tests
coverage report
```

3.4 Making a new release

The release process of BMicro is completely automated. All you need to know is that you have to create an incremental tag:

```
git tag -a "0.1.3"
# or (if you have set up GPG)
git tag -s "0.1.3"
# and finally
git push --tags
```

For more information on how automatic deployment to PyPI works, please read on.

3.5 Continuous integration

The following things are automated:

- pytest and flake8 on Linux, macOS, and Windows via GitHub Actions: <https://github.com/BrillouinMicroscopy/BMicro/actions?query=workflow%3AChecks>

You should always check that all checks pass before you merge a pull request (A green state on your local machine does not mean a global green state).

- automatic deployment to PyPI on tag creation via GitHub Actions: <https://github.com/BrillouinMicroscopy/BMicro/actions?query=workflow%3A%22Release+to+PyPI%22>

Paul Müller created the **BMicro** package on PyPI and gave the user `ci_bm` permission to upload new releases. The password for this user is an [organization secret](#).

- documentation is built automatically (for all tags and for the latest commit to the main branch) on readthedocs: <https://readthedocs.org/projects/BMicro/builds/>
- coverage statistics are done with codecov: <https://codecov.io/gh/BrillouinMicroscopy/BMicro>

Please try stay above 90% coverage.

Badges for all of these CI tasks are in the main `README.rst` file.

CHANGELOG

List of changes in-between bmlab releases.

4.1 version ## 0.8.1 - 2023-02-07

4.2 version

4.3 version ### Fixed

4.4 version - Don't reset calibration frequencies on dialog open #256

4.5 version

4.6 version ## 0.8.0 - 2022-11-22

4.7 version

4.8 version ### Added

4.9 version - Implement GUI to restrict peak width #251

4.10 version - Make options available in batch calibration #252

4.11 version

4.12 version ### Changed

4.13 version - Update to Qt version 6.3.2 #249

4.14 version

4.15 version ## 0.7.0 - 2022-09-28

4.16 version

4.17 version ### Added

4.18 version - Implement 4-peak fitting #244
<https://github.com/BrillouinMicroscopy/bmlab/pull/167>

4.19 version - Enable spectrum preview for 1D data #247

4.20 version

4.1. version ## 0.8.1 - 2023-02-07

4.21 version ## 0.6.2 - 2022-09-27

BILBLIOGRAPHY

INDICES AND TABLES

- `genindex`
- `modindex`
- `search`